

# L40-PRO TECHNICAL DATA SHEET (airspray road marking machine)

Dimensions: 155x65x h100 cm; Weight: 150 Kg



Photo doesn't show standard machine.

#### Gasoline engine:

- power 6 HP
- self-winding pull start

**Hand push.** (It's possible to equip the line striper with HMC, the hydraulic motorized chariot. Look at optional)

**Parking brake** on rear wheel

**Swivel front wheel**, to stripe very sharp curves. It can be locked or unlocked during the work by a lever on handlebars. Steering hardness is adjustable by proper regulator

**Telescopic pointer** for easily following pre-marking or precisely matching existing line

#### Pressurized paint tank:

- capacity 40 l
- with manual stirrer and cover totally removable for easier and quicker cleaning

**Solvent tank** for flushing of gun and paint hose

#### Single-stage two-cylinder compressor:

- flow air rate 394 l/min
- with **pressure limiting valve**

**Automatic paint gun** with line limiter (shroud), mounted on fixed support with gun height adjustable. (Fixed support can be replaced with pneumatic support or with marking discs. Look at optional). Standard nozzle for 10-20 cm line

**MAX. LINE WIDTH:** 30 cm

(achievable only with proper optional equipment)



**SPRAYABLE PRODUCTS:** refractive paints, not refractive paints, special paints with antiskid

**Machine is equipped with all safety devices according to EU requirements.**

**Machine conforms to:**

- **EU Directive 2006/42/EC on Machinery**
- **EU Directive 14/68/EU for Pressure Equipment (PED directive)**

## OPTIONAL EQUIPMENT:

- **HMC Hydraulic Motorized Chariot:** transforms the push machine in a machine with drive. Useful to increase productivity, to finish works quicker and easier, with less fatigue. Indispensable to mark on slopes. With seat. (Look at TDS of HMC motorized chariot)



- **Pneumatic support for paint gun (one disc),** to keep automatic gun always at the same distance from ground, ensuring constant width of the line

- **Marking discs,** to get a perfect definition of line edges. Useful particularly for concrete surfaces. Available in following widths:  
- marking discs for 10-20 cm line (SUGGESTED OPTIONAL)  
- marking discs for 10-30 cm line

- **Manual paint gun-short with 5 m air hose and 5 m paint hose,** for stenciling (SUGGESTED OPTIONAL)

- **Manual paint gun - long (with extension 40 cm) with 5 m air hose and 5 m paint hose,** for stenciling without bending and standing farther from paint spray

- **Pressurized glass bead system** consisting of:

- **pressurized glass bead tank capacity 15,5 l**
- **automatic glass bead gun with adjustable diffuser**
- **closing delay regulator for bead gun**

- **Manual glass bead gun with air hose and bead hose,** for bead application on stenciling.

Attention: it can be used only if striper is equipped with optional Glass bead system

- **Supplementary pressurized tank for paint.** Available capacities: - **pressurized paint tank capacity 15,5 l**  
- **pressurized paint tank capacity 26 l.**





Compressor 394 l/min

Solvent tank


40 l pressurized tank for paint

Manual paint gun with 5 m air and paint hoses (optional)

Parking brake on rear wheel

Automatic glass bead gun (optional)

Automatic paint gun mounted on marking discs for 10-20 cm line (optional)



15,5 l pressurized tank for glass bead (optional)

Swivel front wheel

Adjustable pointer

HMC Hydraulic Motorized Chariot (optional)

