


# L90-NST TECHNICAL DATA SHEET

(airspray road marking machine)



Images are not contractual.

MODEL	L90-NST
Technology	AIRSPRAY
Guns:	from 1 to 2
Max line width:	50 cm ( <i>achievable only with proper optional equipment</i> )
Sprayable products:	refractive paints, not refractive paints, special paints with antiskid
Dimensions	1912x907x h1200 mm
Weight without trailer	412 kg
with trailer	443 kg

STANDARD CONFIGURATION
Gasoline engine: 21 HP
Electric starting
Hydraulic drive with variable-flow pump
Pressurized paint tank 90 l –in stainless steel
Solvent tank
Compressor 827 l/min
1 automatic paint gun - 10-20 cm line
Electronic spacing device C8000
Light and LED beacon
Swivel front wheel
Standing operator trailer with guards and warning lights
Dual speed selector with trailer/without trailer

cod.	OPTIONAL
3PL4R	» Second automatic paint gun. <i>For 50 cm line</i>
SPSK84CN	» Pneumatic support for paint gun (one disc)
GD001	» Marking discs for 10-20 cm line
GD003	» Marking discs for 10-30 cm line
GD05D	» Marking discs for 50 cm line. (*Available only with second automatic gun)
K7+7H	» Manual paint gun-short with air and paint hoses 7 m. <i>For stenciling</i>
K7+P+7H	» Manual paint gun-long (with extension 40 cm) with air and paint hoses 7 m. <i>For stenciling</i>
DISPERL90	» Glass bead system: pressurized conic tank 20 l with automatic gun and closing delay regulator for bead gun
3PP	» Second automatic glass bead gun. <i>For 50 cm line. (*Available only with glass bead system)</i>
C18+5H	» Manual glass bead gun with air and bead hoses. <i>For stenciling. (* Available only with glass bead system)</i>
SRSP15	» Supplementary pressurized tank for paint 15,5 l
SRSP26	» Supplementary pressurized tank for paint 26 l
BRALAT+SRSP26	» Pre-marking kit: 26 l pressurized tank and side extension bracket



Macchine Traccialinee Marking Machines

**Electronic spacing device C8000:**  
- 8 programs storable  
- alarm when speed is outside the range of minimum/maximum speed set  
- data recorded for each gun: total solid line metres  
- total data recorded for machine: total driven Km

**Dual speed selector:**  
speed with trailer/speed without trailer


Support for 1 kg fire extinguisher

Warning lights

Standing operator trailer with guards

Ball coupling

Pressurized paint tank 90 l –in stainless steel



Variable-flow hydraulic pump: guarantees more safety for operator and better performance. Allows to overcome steep slopes

Manual paint gun-long (with extension 40 cm) with air and paint hoses 7 m. For stenciling »optional«

LED beacon

Compressor 827 l/min

Swivel front wheel

Light

Automatic paint gun

Automatic paint gun can be mounted on fixed support with adjustable height (*standard*), on one-disc pneumatic support (*optional*), on marking discs (*optional*).



Macchine Traccialinee Marking Machines