

L 250 SN Central-steering Ride-on Airless Road marking machine

RMCD

Item number:
CMC-L 250 SN

Length:
345 cm

Width:
110 cm

Height:
210 cm

Weight:
1300 kg

Created on 01.01.2025



Description

Self-propelled ride-on airspray road marking machine with hydraulic drive. For road markings in urban areas or on country roads with tight bends.

Diesel engine

- Power 34 HP
- Water-cooled
- Alternator for charging the battery

Working light, blinker and rotating light

Warning system with arrows to guide traffic left/right. 2 flashing lights

Hydraulic drive with:

- 2 motors directly coupled to the rear wheels
- Hydraulic brakes
- Joystick: steers forwards, backwards and neutral
- Variable-flow pump

Description

RMCD - Road Marking Control Device

Optionally available with probably the easiest to operate system for road marking!
With high-resolution color display and the unique RMCD-Drive!

See our YouTube videos and the link to the RMCD website.

2 parking brakes:

- on the front wheels

Articulated steering:

- servo-assisted by ZF
- to mark tight bends

Steering diameter:

- 6,50 m

Telescopic visor

- for easy re-marking of existing lines

Engine cut-off:

- when the driver stands up without applying the handbrake
- Adjustable to the weight of the driver

Steering wheel:

- with adjustable resistance

Seat:

- With adjustable position (left / right, forwards / backwards)

Ink tank:

- 250 l capacity
- made of stainless steel
- with hydraulic mixer

Solvent tank:

- for flushing gun and paint hose

Pressure tank for glass beads:

- Capacity 100 l
- with pressure regulation
- Moisture separator

Two-stage two-cylinder compressor:

- Flow rate 1390 l / min
- with pressure relief valve

Automatic paint gun:

- with line limiter, mounted on fixed carrier with gun, height adjustable.
- Fixed support can be replaced by pneumatic suspension or by marking disks. (See optional).
- Standard nozzle for 10-20 cm line

Automatic glass bead gun:

- Diffuser with adjustable tilt and opening angles.

Description

- Delay regulator for glass gun

MAX. LINE WIDTH: 90 cm
(Only possible with corresponding accessories)

Electronic line-gap automat:
- C8000

Spare parts



Pressure regulator 1/4 inch for color or pressure system

Item number: CMC-PN00064

For switching from the backwash function to the marking function.

Accessories/Extensions



Manual airspray gun - Model 23 with nozzle extension

Item number: CMC-C23+P-39

Manual airspray gun model no. 23


Professional airspray gun with nozzle extension 400 mm

Manual airspray gun - Model 23

Item number: CMC-C23-39


Manual airspray gun model no. 23

Professional airspray gun



Rolling disc unit 10 to 20 cm

Item number: CMC-GD001



Rolling disc unit 10 to 30 cm

Item number: CMC-GD003

Accessories/Extensions



Manual Airspray Gun CMC Model 5 with hoses

Item number: CMC-PSSP5+5h



RMCD standard

Item number: RMCD-STD

With the RMCD-Road Marking Control Device STANDARD, we have developed a completely new system for operating road marking machines with greater convenience, based on the RMCD-CAN bus system. The variably configurable system offers a wide range of applications.
