

## RMCD encoder

Item number:

BPL-4001946

Created on 31.12.2024



## Description

Dimension:

Diameter 36,5mm / L = 76mm

Solid shaft: 10mm

Resolution: 4096 steps,

r4096 revolutions,

24 bit; IP68; IP 69K

without pickup wheel



## RMCD-Drive Cab Control Joystick

Item number: BPL-4000109

The RMCD-Drive Cab Joystick is the control unit for your RMCD solution

## RMCD display OPUS B3 Eco Basic QT

Item number: BPL-4001903

Suitable for:  
RMCD-Standard  
RMCD-Advanced  
RMCD-Professional



## RMCD pressure sensor

Item number: BPL-4001945

Electronic pressure sensor; 0...250 bar; 0...3625 psi;  
1/4" male thread  
rAnalog signal; 4...20 mA




## RMCD encoder

Item number: BPL-4001946

Dimension:  
Diameter 36,5mm / L = 76mm  
without pickup wheel



# Spare parts



## RMCD CAN bus

Item number: BPL-4001977

suitable for RMCD-Road-Marking-Control-Device

---



## Housing with board and cable

Item number: BPL-A1005812

Incl. assembly of the board and cable set.  
Cable for encoder included.

Cable for additional sensors, telematics module and actuators.

---



## M12 cable socket angled 5m

Item number: BPL-B12090-CPS-002

5 meter 4pin CAN cable with 120 Ohm resistor

for encoder of the RMCD - Road Marking Control Device

---



## Pickup wheel for encoder

Item number: CMC-SU00031

For switching from the backwash function to the marking function.

---

## Spare parts




### Humidity and temperature meter

Item number: GAT-DZK300F13700-YY

DZK

Transmitter for pluggable probes

---



### CT-SF22-C3 Miniature pyrometer

Item number: MEP-4800103.003

suitable for RMCD - Advanced

---

# Accessories/Extensions