


Overview



RMCD Light



RMCD Plus +



RMCD App



RMCD Accessories

RMCD Light



RMCD Light Standard



RMCD Light Advanced



RMCD Light Professional



RMCD Light Standard




Controller



Components



Controller



RMCD - LIGHT - Standard

RMCD Light Standard with color display for monitoring:

- Speed
- color printing
- Recording of marking work

RMCD-Light-Std

1 Stk.



Components



Inductive sensor INI marking IFM204

Contactless detection of whether your paint gun is open or closed.
High shock and vibration resistance for use in mobile machinery

BPL-4000440

1 Stk.



Display RMCD-Light - M835-01

The RMCD-Light - M835-01 display is a 3.5-inch programmable display designed for use in vehicles and off-highway machinery. The DSEM835 offers the user excellent flexibility. The DSEM835 is configured with CODESYS 3.5.
suitable for RMCD-Light

BPL-4001905

1 Stk.

112.5 x 115 x 49 mm



RMCD pressure sensor HP - Airless

Electronic pressure sensor; 0...250 bar; 0...3625 psi;
1/4" external thread
rAnalog signal; 4...20 mA

BPL-4001945

1 Stk.



RMCD encoder

Dimension:
Diameter 36,5mm / L = 76mm
without pickup wheel

BPL-4001946

1 Stk.



Wiring harness for RMCD Light

- Connection to display M835-01
- Connection to INI marker
- Connection to pressure sensor
- Connection to rotary encoder
- Connection to power supply

BPL-4002189

1 Stk.



Wiring harness for RMCD Light CMC

- Connection to display M835-01
- Connection to rotary encoder
- Connection to power supply

BPL-4002189_CMC

1 Stk.

suitable for RMCD-Light CMC



RMCD pressure sensor LP - Airspray

Electronic pressure sensor; 0...10 bar
1/4" external thread

BPL-4002205

1 Stk.



Components



Bracket for encoder for RMCD

for RMCD

CMC-AR150-14-145

1 Stk.



Bracket for encoder for RMCD

for RMCD

CMC-AR30P-MAX-A3-007

1 Stk.



Conversion KIT RMCD Light to marking machine

Suitable for RMCD Light

CMC-KIT00087

1 Stk.



Pickup wheel for encoder

For recording the speed of your machine.

CMC-SU00031

Inner diameter of mount: 10 mm

1 Stk.



RMCD-LIGHT conversion as a private label

Conversion of the RMCD-Light as a private label.

- Changed background image.

- Changed pictograms

The basic structure of the program remains the same!

RMCD-Light-PL

1 Stk.



RMCD Light Advanced




Controller



Components



Controller



RMCD - LIGHT - Advanced

RMCD Light with color display for controlling:

- Speed
- color printing
- Recording of marking work

RMCD-Light-Adv

1 Stk.



Components



Metal buzzer 19 mm with LED

For visual and audible indication of gun triggering.

BPL-400_Buzz

1 Stk.
55 x 19 mm



Inductive sensor INI marking IFM204

Contactless detection of whether your paint gun is open or closed.
High shock and vibration resistance for use in mobile machinery

BPL-4000440

1 Stk.



Display RMCD-Light - M835-01

The RMCD-Light - M835-01 display is a 3.5-inch programmable display designed for use in vehicles and off-highway machinery. The DSEM835 offers the user excellent flexibility. The DSEM835 is configured with CODESYS 3.5.
suitable for RMCD-Light

BPL-4001905

1 Stk.
112.5 x 115 x 49 mm



Wiring harness for RMCD Light

- Connection to display M835-01
- Connection to INI marker
- Connection to pressure sensor
- Connection to rotary encoder
- Connection to power supply

BPL-4002189

1 Stk.



Conversion KIT RMCD Light to marking machine

Suitable for RMCD Light

CMC-KIT00087

1 Stk.



RMCD-LIGHT conversion as a private label

Conversion of the RMCD-Light as a private label.
- Changed background image.
- Changed pictograms
The basic structure of the program remains the same!

RMCD-Light-PL

1 Stk.



RMCD Light Professional



Controller



Components



Controller



RMCD - LIGHT - Professional

RMCD Light Professional with color display for controlling:

- Speed
- color printing
- Recording of marking work

RMCD-Light_pro

1 Stk.



Components



Inductive sensor INI marking IFM204

Contactless detection of whether your paint gun is open or closed.
High shock and vibration resistance for use in mobile machinery

BPL-4000440

1 Stk.



Display RMCD-Light - M835-01

The RMCD-Light - M835-01 display is a 3.5-inch programmable display designed for use in vehicles and off-highway machinery. The DSEM835 offers the user excellent flexibility. The DSEM835 is configured with CODESYS 3.5.
suitable for RMCD-Light

BPL-4001905

1 Stk.

112.5 x 115 x 49 mm



Wiring harness for RMCD Light

- Connection to display M835-01
- Connection to INI marker
- Connection to pressure sensor
- Connection to rotary encoder
- Connection to power supply

BPL-4002189

1 Stk.



Wiring harness for RMCD Light

- Connection to display M835-01
- Connection to INI marker
- Connection to pressure sensor
- Connection to rotary encoder
- Connection to power supply

BPL-400LiPro

1 Stk.



Conversion KIT RMCD Light to marking machine

Suitable for RMCD Light

CMC-KIT00087

1 Stk.



RMCD-LIGHT conversion as a private label

Conversion of the RMCD-Light as a private label.
- Changed background image.
- Changed pictograms
The basic structure of the program remains the same!

RMCD-Light-PL

1 Stk.



RMCD Plus +



RMCD Plus Standard



RMCD Plus Advanced



RMCD Plus Professional



RMCD Plus Standard



Controller



Components



Controller



RMCD standard

With the RMCD-Road Marking Control Device STANDARD, we have developed a completely new system for operating road marking machines with greater convenience, based on the RMCD-CAN bus system. The variably configurable system offers a wide range of applications.

RMCD-Plus-STD

1 Stk.



Components



RMCD-Drive Cab Control Joystick

The RMCD-Drive Cab Joystick is the control unit for your RMCD solution

BPL-4000109

1 Stk.



Deutsch plug, 3-pin, overmolded, IP67, 0.75mm²

2m-PUR / DT06-3S-A/K1/0.75/2m

BPL-4001901

for pressure sensor of RMCD - Road Marking Control Device

1 Stk.
5.000 mm



RMCD display OPUS B3 Eco Basic QT

Suitable for:
RMCD-Plus Standard
RMCD-Plus Advanced
RMCD-Plus Professional

BPL-4001903

1 Stk.




RMCD encoder

Dimension:
Diameter 36,5mm / L = 76mm
without pickup wheel

BPL-4001946

1 Stk.



RMCD CAN bus

suitable for RMCD-Road-Marking-Control-Device

BPL-4001977

1 Stk.



Housing with board and cable

Incl. assembly of the board and cable set.
Cable for encoder included.

BPL-A1005812

Cable for additional sensors, telematics module and actuators.

1 Stk.



M12 cable socket angled 5m

5 meter 4pin CAN cable with 120 Ohm resistor

BPL-B12090-CPS-002

for encoder of the RMCD - Road Marking Control Device

1 Stk.
5.000 mm



Components



Bracket for encoder for RMCD

for RMCD

CMC-AR150-14-145

1 Stk.



Bracket for encoder for RMCD

for RMCD

CMC-AR30P-MAX-A3-007

1 Stk.



Conversion KIT RMCD Light to marking machine

Suitable for RMCD Light

CMC-KIT00087

1 Stk.



Pickup wheel for encoder

For recording the speed of your machine.

CMC-SU00031

Inner diameter of mount: 10 mm

1 Stk.



RMCD-LIGHT conversion as a private label

Conversion of the RMCD-Light as a private label.

- Changed background image.

- Changed pictograms

The basic structure of the program remains the same!

RMCD-Light-PL


1 Stk.



RMCD Plus Advanced



Controller



Components



Controller



RMCD - Plus + Advanced

With the RMCD-Road Marking Control Device ADVANCED, we have developed a completely new system for operating road marking machines with greater convenience, based on the RMCD-CAN bus system. The variably configurable system offers a wide range of applications.

RMCD-Plus-ADV

1 Stk.



Components



RMCD-Drive Cab Control Joystick

The RMCD-Drive Cab Joystick is the control unit for your RMCD solution

BPL-4000109

1 Stk.



Deutsch plug, 3-pin, overmolded, IP67, 0.75mm²

2m-PUR / DT06-3S-A/K1/0.75/2m

BPL-4001901

for pressure sensor of RMCD - Road Marking Control Device

1 Stk.
5.000 mm



RMCD display OPUS B3 Eco Basic QT

Suitable for:
RMCD-Plus Standard
RMCD-Plus Advanced
RMCD-Plus Professional

BPL-4001903

1 Stk.




RMCD encoder

Dimension:
Diameter 36,5mm / L = 76mm
without pickup wheel

BPL-4001946

1 Stk.



RMCD CAN bus

suitable for RMCD-Road-Marking-Control-Device

BPL-4001977

1 Stk.



Housing with board and cable

Incl. assembly of the board and cable set.
Cable for encoder included.

BPL-A1005812

Cable for additional sensors, telematics module and actuators.

1 Stk.



M12 cable socket angled 5m

5 meter 4pin CAN cable with 120 Ohm resistor

BPL-B12090-CPS-002

for encoder of the RMCD - Road Marking Control Device

1 Stk.
5.000 mm



Components



Bracket for encoder for RMCD

for RMCD

CMC-AR150-14-145

1 Stk.



Bracket for encoder for RMCD

for RMCD

CMC-AR30P-MAX-A3-007

1 Stk.



Conversion KIT RMCD Light to marking machine

Suitable for RMCD Light

CMC-KIT00087

1 Stk.



Pickup wheel for encoder

For recording the speed of your machine.

CMC-SU00031

Inner diameter of mount: 10 mm

1 Stk.



Humidity temperature probe

Humidity-temperature probe, suitable for DZK & eStat20(D)
probe, pluggable, with flange socket
suitable for RMCD - Road Marking Control Device

GAT-19.001-YS

1 Stk.



Filter: ZE05 PTFE filter ø 12, IP 65

Operating range: -40 ... 125C
mounted

GAT-20.078

1 Stk.



Humidity and temperature meter

DZK
Transmitter for pluggable probes

GAT-DZK300F13700-YY

1 Stk.



Components



CT-SF22-C3 Miniature pyrometer

suitable for RMCD - Advanced

MEP-4800103.003

1 Stk.




Antenna cable

assembled with black strands, 1 mm², L=2m

PRO-136000198

1 Stk.
2 m



Antenna for telematics system

Mobile radio/GNSS combination roof antenna, flat-rectangular, roof mounting for screwing

PRO-157000121

1 Stk.
124 x 80 x 31 mm



CANlink mobile 3657 for telematics module

Wireless CAN interface for data exchange
via 2G/GSM/GPRS/EDGE, 3G/UMTS/HSPA and 4G/LTE Worldwide

PRO-253004097

1 Stk.
123 x 86 x 35 mm



RMCD-LIGHT conversion as a private label

Conversion of the RMCD-Light as a private label.

- Changed background image.

- Changed pictograms

The basic structure of the program remains the same!

RMCD-Light-PL

1 Stk.



RMCD Plus Professional



Controller



Components



Controller



RMCD - Plus Professional

With the RMCD-Road Marking Control Device PROFESSIONAL, we have developed a completely new system for operating road marking machines with greater convenience, based on the RMCD-CAN bus system. The variably configurable system offers a wide range of applications.

RMCD-Plus-PRO

1 Stk.



Components



RMCD-Drive Cab Control Joystick

The RMCD-Drive Cab Joystick is the control unit for your RMCD solution

BPL-4000109

1 Stk.



Deutsch plug, 3-pin, overmolded, IP67, 0.75mm²

2m-PUR / DT06-3S-A/K1/0.75/2m

BPL-4001901

for pressure sensor of RMCD - Road Marking Control Device

1 Stk.
5.000 mm



RMCD display OPUS B3 Eco Basic QT

Suitable for:
RMCD-Plus Standard
RMCD-Plus Advanced
RMCD-Plus Professional

BPL-4001903

1 Stk.




RMCD encoder

Dimension:
Diameter 36,5mm / L = 76mm
without pickup wheel

BPL-4001946

1 Stk.



RMCD CAN bus

suitable for RMCD-Road-Marking-Control-Device

BPL-4001977

1 Stk.



Y-cable KMM RMCD-Drive to RMCD-KeyPad

suitable for RMCD-Key-Pad - Professional

BPL-4002134

1 Stk.



Housing with board and cable

Incl. assembly of the board and cable set.
Cable for encoder included.

BPL-A1005812

Cable for additional sensors, telematics module and actuators.

1 Stk.



Components



M12 cable socket angled 5m

5 meter 4pin CAN cable with 120 Ohm resistor

BPL-B12090-CPS-002

for encoder of the RMCD - Road Marking Control Device

1 Stk.
5.000 mm



RMCD keypad module 8 buttons - For entering markings

RMCD key pad - For RMCD Professional
For quick and easy selection of marking presets.
2 lines with 4 keys each
Numbered from 1 to 8

BPL-B12500

1 Stk.



Bracket for encoder for RMCD

for RMCD

CMC-AR150-14-145

1 Stk.



Bracket for encoder for RMCD

for RMCD

CMC-AR30P-MAX-A3-007

1 Stk.



Conversion KIT RMCD Light to marking machine

Suitable for RMCD Light

CMC-KIT00087

1 Stk.



Pickup wheel for encoder

For recording the speed of your machine.

CMC-SU00031

Inner diameter of mount: 10 mm

1 Stk.



Humidity temperature probe

Humidity-temperature probe, suitable for DZK & eStat20(D)
probe, pluggable, with flange socket
suitable for RMCD - Road Marking Control Device

GAT-19.001-YS

1 Stk.



Components



Filter: ZE05 PTFE filter ø 12, IP 65

Operating range: -40 ... 125C
mounted

GAT-20.078

1 Stk.



Humidity and temperature meter

DZK
Transmitter for pluggable probes

GAT-DZK300F13700-YY

1 Stk.



CT-SF22-C3 Miniature pyrometer

suitable for RMCD - Advanced

MEP-4800103.003

1 Stk.



Antenna cable

assembled with black strands, 1mm², L=2m

PRO-136000198

1 Stk.
2 m



Antenna for telematics system

Mobile radio/GNSS combination roof antenna, flat-rectangular, roof
mounting for screwing

PRO-157000121

1 Stk.
124 x 80 x 31 mm



CANlink mobile 3657 for telematics module

Wireless CAN interface for data exchange
rvia 2G/GSM/GPRS/EDGE, 3G/UMTS/HSPA and 4G/LTE Worldwide

PRO-253004097

1 Stk.
123 x 86 x 35 mm



RMCD-LIGHT conversion as a private label

Conversion of the RMCD-Light as a private label.
- Changed background image.
- Changed pictograms
The basic structure of the program remains the same!

RMCD-Light-PL

1 Stk.

RMCD App



RMCD APP - Single license

Web-based application!
For easy recording of daily reports and post-calculation.
Will be released in the course of 2025!


STR_RMCD_APP_01




RMCD Accessories




RMCD Airless nozzles



RMCD Nozzle holder




RMCD Nozzle extensions



RMCD Airless filter



RMCD High-pressure
paint hoses



RMCD Useful helpers



RMCD Airless nozzles



RMCD - Airless nozzle for road markings/surface markings - 219

2 airless nozzles for surface markings including seals.
Color: black
Size: 219
Made in EUROPE!

RMCD-FM6219

2 Stk.



RMCD - Airless nozzle for road markings/surface markings - 421

2 airless nozzles for surface markings including seals.
Color: black
Size: 421
Made in EUROPE!

RMCD-FM6421

2 Stk.



RMCD - Airless nozzle for road markings/surface markings - 623

2 airless nozzles for surface markings including seals.
Color: black
Size: 623
Made in EUROPE!

RMCD-FM6623

2 Stk.



RMCD - Airless nozzle for road markings/line markings - 319

2 airless nozzles for line markings including seals.
Color: yellow
Size: 319
Made in EUROPE!

RMCD-FMLM319

2 Stk.



RMCD - Airless nozzle for road markings/line markings - 321

2 airless nozzles for line markings including seals.
Color: yellow
Size: 321
Made in EUROPE!

RMCD-FMLM321

2 Stk.



RMCD - Airless nozzle for road markings/line markings - 419

2 airless nozzles for line markings including seals.
Color: yellow
Size: 419
Made in EUROPE!

RMCD-FMLM419

2 Stk.



RMCD - Airless nozzle for road markings/line markings - 421

2 airless nozzles for line markings including seals.
Color: yellow
Size: 421
Made in EUROPE!

RMCD-FMLM421

2 Stk.



RMCD Airless nozzles



RMCD - Airless nozzle for road markings/line markings - 423

2 airless nozzles for line markings including seals.

Color: yellow

Size: 423

Made in EUROPE!

RMCD-FMLM423

2 Stk.



RMCD Nozzle holder



RMCD - Nozzle holder 1 1/16 inch

Nozzle holder for 1 1/16 inch thread.
Compatible with nozzles: FM6, FMC6, TITAN SC6, Wagner Trade Tip3, and Graco RAC V

RMCD-201203

1 Stk.



RMCD - Nozzle holder 7/8 inch

Nozzle holder for 7/8 inch thread.
Suitable for GRACO paint guns for road marking.
Compatible with nozzles: FM6, FMC6, TITAN SC6, Wagner Trade Tip3, and Graco RAC V

RMCD-201203G

1 Stk.



RMCD Nozzle extensions



Nozzle extension 15 cm - 11/16 inch / 17.46 mm thread made of stainless steel

Nozzle extensions for 11/16 inch (17.46 mm) thread.

RMCD-FM63008F

Length: 15 cm

Material: Stainless steel - Particularly sturdy and hard-wearing.

1 Stk.

Paint gun connection: 11/16 inch / 17.46 mm

15 cm

Nozzle holder connection: 11/16 inch / 17.46 mm



Nozzle extension 15 cm - G Connection 7/8 inch / 22.23 mm thread made of stainless steel

Nozzle extensions for 7/8 inch (22.23 mm) thread.

RMCD-FM63008G

Length: 15 cm

Material: Stainless steel - Particularly sturdy and hard-wearing.

1 Stk.

Paint gun connection: 11/16 inch / 22.23 mm

15 cm

Nozzle holder connection: 11/16 inch / 22.23 mm



Nozzle extension 30 cm - 11/16 inch / 17.46 mm thread made of stainless steel

Nozzle extensions for 11/16 inch (17.46 mm) thread.

RMCD-FM63009F

Length: 30 cm

Material: Stainless steel - Particularly sturdy and hard-wearing.

1 Stk.

Paint gun connection: 11/16 inch / 17.46 mm

30 cm

Nozzle holder connection: 11/16 inch / 17.46 mm



Nozzle extension 30 cm - G Connection 7/8 inch / 22.23 mm thread made of stainless steel

Nozzle extensions for 7/8 inch (22.23 mm) thread.

RMCD-FM63009G

Length: 30 cm

Material: Stainless steel - Particularly sturdy and hard-wearing.

1 Stk.

Paint gun connection: 11/16 inch / 22.23 mm

30 cm

Nozzle holder connection: 11/16 inch / 22.23 mm



Nozzle extension 45 cm - 11/16 inch / 17.46 mm thread made of stainless steel

Nozzle extensions for 11/16 inch (17.46 mm) thread.

RMCD-FM63010F

Length: 45 cm

Material: Stainless steel - Particularly sturdy and hard-wearing.

1 Stk.

Paint gun connection: 11/16 inch / 17.46 mm

45 cm

Nozzle holder connection: 11/16 inch / 17.46 mm



Nozzle extension 45 cm - G Connection 7/8 inch / 22.23 mm thread made of stainless steel

Nozzle extensions for 7/8 inch (22.23 mm) thread.

RMCD-FM63010G

Length: 45 cm

Material: Stainless steel - Particularly sturdy and hard-wearing.

1 Stk.

Paint gun connection: 11/16 inch / 22.23 mm

45 cm

Nozzle holder connection: 11/16 inch / 22.23 mm



Nozzle extension 45 cm - 11/16 inch / 17.46 mm thread made of stainless steel

Nozzle extensions for 11/16 inch (17.46 mm) thread.

RMCD-FM63011F

Length: 45 cm

Material: Stainless steel - Particularly sturdy and hard-wearing.

1 Stk.

Paint gun connection: 11/16 inch / 17.46 mm

60 cm

Nozzle holder connection: 11/16 inch / 17.46 mm

RMCD Nozzle extensions



Nozzle extension 45 cm - G Connection 7/8 inch / 22.23 mm thread made of stainless steel

Nozzle extensions for 7/8 inch (22.23 mm) thread.

RMCD-FM63011G

Length: 45 cm

Material: Stainless steel - Particularly sturdy and hard-wearing.

1 Stk.

Paint gun connection: 11/16 inch / 22.23 mm

60 cm

Nozzle holder connection: 11/16 inch / 22.23 mm



Seal for nozzle extension - diameter 11 mm

Suitable for the nozzle extensions

RMCD-FM63016

1 Stk.



Adapter made of stainless steel IG 1/2 IC x AG 7/8 inch / 22.23 mm

Adapter for nozzle extension to adapt from 11/16 inch (17.46 mm) to 7/8 inch (22.23 mm).

RMCD-FM63019

On the side of the nozzle holder/airless nozzle.

1 Stk.



Adapter made of stainless steel IG 1/2 IC x AG 11/16 inch / 17.46 mm

Adapter for nozzle extension to adapt from 7/8 inch (22.23 mm) to 11/16 inch (17.46 mm).

RMCD-FM63021

On the side of the nozzle holder/airless nozzle.

1 Stk.



RMCD Airless filter




RMCD - Intake filter 28 x 1.5 mm - 60 mesh

Suction filter 28 x 1.5 IG 60 mesh.
Suction filter short. Reinforced version.

RMCD-22906

1 Stk.




RMCD - Retention spring for paint gun plug-in filter

- 1 retention spring (for a secure hold in the gun)

RMCD-301500

1 Stk.



RMCD - Paint gun plug-in filter 50 mesh (white)

10 pieces gun filter 50 mesh for marking PU paints or other low-viscosity marking paints.

RMCD-FM2002

10 Stk.
105 x 10 mm



RMCD - Paint gun plug-in filter 100 mesh (yellow)

10 pieces gun filter 100 mesh for marking PU paints or other low-viscosity marking paints.

RMCD-FM2004

10 Stk.
105 x 10 mm



RMCD High-pressure paint hoses



High pressure paint hose 1/4" 10 meter

High-pressure paint hose

Length: 10 meters

Connection: 1/4 inch

CMC-TVAPR1/410MT

1 Stk.



RMCD Useful helpers



Winder for pre-marking rope 42 cm

With this rope drum with gearbox, your rope for pre-markings can be rolled up and stowed away quickly and easily.
Roll width: 26 cm
Capacity: approx. 1,000 meters of pre-marking rope (depending on the diameter of the rope)

CMC-ARAVCG

1 Stk.



Winder for pre-marking rope 26 cm

With this rope drum with gearbox, your rope for pre-markings can be rolled up and stowed away quickly and easily.
Roll width: 26 cm
Capacity: approx. 500 meters of pre-marking rope (depending on the diameter of the rope)

CMC-ARAVCP

60 kg

1 Stk.



Metal stencils for metal letters 20 cm height

Floor marking template made of galvanized sheet metal for letters.
Bent up on the long side for easy application.
The exact weight of each template depends on the size.

CMC-DL20

0.38 kg

200 mm



Metal stencils SET for metal letters 20 cm high - A to Z

Floor marking template made of galvanized sheet metal for letters.
Bent up on the long side for easy application.
The exact weight of each template depends on the size.

CMC-DL20-SET

3.8 kg

200 mm



Metal stencils for metal letters 40 cm high

Floor marking template made of galvanized sheet metal for letters.
Bent up on the long side for easy application.
The exact weight of each template depends on the size.

CMC-DL40

0.38 kg

400 mm



Metal stencils SET for metal letters 40 cm high - A to Z

Floor marking template made of galvanized sheet metal for letters.
Bent up on the long side for easy application.
The exact weight of each template depends on the size.

CMC-DL40-SET

3.8 kg

400 mm



Template for disabled marking

Floor marking template for disabled markings in parking lots.

CMC-DMHAN

890 x 832 cm

RMCD Useful helpers



Template for P - Parking lot

Floor marking template for parking lot symbol - P.

CMC-DMPR

890 x 832 cm



Pedestrian - metal 80 cm height

Marking template - pedestrian

Width: 450 mm

Height: 800 mm

CMC-DMPSP

450 x 800 mm



Frame for background marking Handicapped marking, parking lot marking

Floor marking template.

Frame for disabled markings, parking lot markings.

CMC-DMQDIS

100 x 100 cm



Template for electric vehicles

Floor marking template for electric vehicles.

CMC-DMREL

490 x 832 cm



Metal stencils for numbers metal 20 cm height

Floor marking template made of galvanized sheet metal for numbers.

Bent up on the long side for easy application.

The exact weight of each template depends on the size.

CMC-DN20

0.32 kg

200 mm



Metal stencils SET for metal numbers 20 cm high - 0 to 9

SET floor marking templates made of galvanized sheet metal for numbers 0 to 9.

Bent up on the long side for easy application.

The exact weight of each template depends on the size.

CMC-DN20-SET

3.2 kg

300 mm



Metal stencils for numbers metal 30 cm height

Floor marking template made of galvanized sheet metal for numbers.

Bent up on the long side for easy application.

The exact weight of each template depends on the size.

CMC-DN30

0.54 kg

300 mm



RMCD Useful helpers



Metal stencils SET for metal numbers 30 cm high - 0 to 9

SET floor marking templates made of galvanized sheet metal for numbers 0 to 9.
Bent up on the long side for easy application.
The exact weight of each template depends on the size.

CMC-DN30-SET
5.4 kg
300 mm



Glass beads spreader

Glass bead spreader cart for flat application of reflective glass beads to guardrails, retaining beams, etc.

CMC-GBS 550
36 kg
1 Stk.
56 x 68 x 93 cm

Working width: 53 cm

Bead quantity wheel small ø 160 mm: approx. 320 g/m²

Bead quantity wheel large ø 200 mm: approx. 250 g/m²



Glass beads dispenser - Handhold

Very sturdy but still lightweight reflex glass bead spreader made of stainless steel. For easy and quick spreading of lines or areas in the field of road marking.

CMC-SPRGPRLM
2.5 kg
1 Stk.
12 x 18 x 47 cm

