

Overview



RMCD Light




RMCD Standard



RMCD Advanced



RMCD Professional



RMCD App



RMCD Accessories

RMCD Light



Control



Components



Control



RMCD-LIGHT

RMCD Light for controlling:

- Speed
- color printing
- Recording of marking work with color display

RMCD-Light
1 Stk.



Components



Inductive sensor INI marking IFM204

suitable for RMCD-Light

BPL-4000440

1 Stk.



Screen M835-01

The DSEM835 is a 3.5-inch programmable display designed for use in vehicles and off-highway machinery. The DSEM835 offers the user excellent flexibility. The DSEM835 is configured with CODESYS 3.5.
suitable for RMCD-Light

BPL-4001905

1 Stk.

112.5 x 115 x 49 mm



RMCD pressure sensor HP - Airless

Electronic pressure sensor; 0...250 bar; 0...3625 psi;
1/4" external thread
rAnalog signal; 4...20 mA

BPL-4001945

1 Stk.



RMCD encoder

Dimension:
Diameter 36,5mm / L = 76mm
without pickup wheel

BPL-4001946

1 Stk.



Wiring harness for RMCD Light

- Connection to display M835-01
- Connection to INI marker
- Connection to pressure sensor
- Connection to rotary encoder
- Connection to power supply

BPL-4002189

1 Stk.



RMCD pressure sensor LP - Airspray

Electronic pressure sensor; 0...10 bar
1/4" external thread

BPL-4002205

1 Stk.



Bracket for encoder for RMCD

for RMCD

CMC-AR150-14-145

1 Stk.



Components



Bracket for encoder for RMCD

for RMCD

CMC-AR30P-MAX-A3-007

1 Stk.



Conversion KIT RMCD Light to marking machine

Suitable for RMCD Light

CMC-KIT00087

1 Stk.



Pickup wheel for encoder

For recording the speed of your machine.

CMC-SU00031

Inner diameter of mount: 10 mm

1 Stk.



RMCD Standard



Control



Components



Control



RMCD standard

With the RMCD-Road Marking Control Device STANDARD, we have developed a completely new system for operating road marking machines with greater convenience, based on the RMCD-CAN bus system. The variably configurable system offers a wide range of applications.

RMCD-STD

1 Stk.



Components



RMCD-Drive Cab Control Joystick

The RMCD-Drive Cab Joystick is the control unit for your RMCD solution

BPL-4000109

1 Stk.



German plug, 3-pin, overmolded, IP67, 0.75mm²

2m-PUR / DT06-3S-A/K1/0.75/2m

BPL-4001901

for pressure sensor of RMCD - Road Marking Control Device

1 Stk.
5.000 mm



RMCD display OPUS B3 Eco Basic QT

Suitable for:
RMCD-Standard
RMCD-Advanced
RMCD-Professional

BPL-4001903

1 Stk.




RMCD encoder

Dimension:
Diameter 36,5mm / L = 76mm
without pickup wheel

BPL-4001946

1 Stk.



RMCD CAN bus

suitable for RMCD-Road-Marking-Control-Device

BPL-4001977

1 Stk.



Housing with board and cable

Incl. assembly of the board and cable set.
Cable for encoder included.

BPL-A1005812

Cable for additional sensors, telematics module and actuators.

1 Stk.



M12 cable socket angled 5m

5 meter 4pin CAN cable with 120 Ohm resistor

BPL-B12090-CPS-002

for encoder of the RMCD - Road Marking Control Device

1 Stk.
5.000 mm



Components



Bracket for encoder for RMCD

for RMCD

CMC-AR150-14-145

1 Stk.



Bracket for encoder for RMCD

for RMCD

CMC-AR30P-MAX-A3-007

1 Stk.



Pickup wheel for encoder

For recording the speed of your machine.

CMC-SU00031

Inner diameter of mount: 10 mm

1 Stk.



RMCD Advanced



Control



Components



Control



RMCD-Advanced

With the RMCD-Road Marking Control Device ADVANCED, we have developed a completely new system for operating road marking machines with greater convenience, based on the RMCD-CAN bus system. The variably configurable system offers a wide range of applications.

RMCD-ADV

1 Stk.



Components



RMCD-Drive Cab Control Joystick

The RMCD-Drive Cab Joystick is the control unit for your RMCD solution

BPL-4000109

1 Stk.



German plug, 3-pin, overmolded, IP67, 0.75mm²

2m-PUR / DT06-3S-A/K1/0.75/2m

BPL-4001901

for pressure sensor of RMCD - Road Marking Control Device

1 Stk.

5.000 mm



RMCD display OPUS B3 Eco Basic QT

Suitable for:
RMCD-Standard
RMCD-Advanced
RMCD-Professional

BPL-4001903

1 Stk.




RMCD encoder

Dimension:
Diameter 36,5mm / L = 76mm
without pickup wheel

BPL-4001946

1 Stk.



RMCD CAN bus

suitable for RMCD-Road-Marking-Control-Device

BPL-4001977

1 Stk.



Housing with board and cable

Incl. assembly of the board and cable set.
Cable for encoder included.

BPL-A1005812

1 Stk.

Cable for additional sensors, telematics module and actuators.



M12 cable socket angled 5m

5 meter 4pin CAN cable with 120 Ohm resistor

BPL-B12090-CPS-002

for encoder of the RMCD - Road Marking Control Device

1 Stk.

5.000 mm



Components



Bracket for encoder for RMCD

for RMCD

CMC-AR150-14-145

1 Stk.



Bracket for encoder for RMCD

for RMCD

CMC-AR30P-MAX-A3-007

1 Stk.



Pickup wheel for encoder

For recording the speed of your machine.

CMC-SU00031

Inner diameter of mount: 10 mm

1 Stk.



Humidity temperature probe

Humidity-temperature probe, suitable for DZK & eStat20(D) probe, pluggable, with flange socket suitable for RMCD - Road Marking Control Device

GAT-19.001-YS

1 Stk.



Filter: ZE05 PTFE filter \varnothing 12, IP 65

Operating range: -40 ... 125C mounted

GAT-20.078

1 Stk.



Humidity and temperature meter

DZK
Transmitter for pluggable probes

GAT-DZK300F13700-YY

1 Stk.



CT-SF22-C3 Miniature pyrometer


suitable for RMCD - Advanced

MEP-4800103.003

1 Stk.



Components



Antenna cable

assembled with black strands, 1 mm², L=2m

PRO-136000198

1 Stk.
2 m



Antenna for telematics system

Mobile radio/GNSS combination roof antenna, flat-rectangular, roof mounting for screwing

PRO-157000121

1 Stk.
124 x 80 x 31 mm



CANlink mobile 3657 for telematics module

Wireless CAN interface for data exchange
via 2G/GSM/GPRS/EDGE, 3G/UMTS/HSPA and 4G/LTE Worldwide

PRO-253004097


1 Stk.
123 x 86 x 35 mm



RMCD Professional



Control



Components



Control



RMCD-Professional

With the RMCD-Road Marking Control Device PROFESSIONAL, we have developed a completely new system for operating road marking machines with greater convenience, based on the RMCD-CAN bus system. The variably configurable system offers a wide range of applications.

RMCD-PRO

1 Stk.



Components



RMCD-Drive Cab Control Joystick

The RMCD-Drive Cab Joystick is the control unit for your RMCD solution

BPL-4000109

1 Stk.



German plug, 3-pin, overmolded, IP67, 0.75mm²

2m-PUR / DT06-3S-A/K1/0.75/2m

BPL-4001901

for pressure sensor of RMCD - Road Marking Control Device

1 Stk.
5.000 mm



RMCD display OPUS B3 Eco Basic QT

Suitable for:
RMCD-Standard
RMCD-Advanced
RMCD-Professional

BPL-4001903

1 Stk.



RMCD encoder

Dimension:
Diameter 36,5mm / L = 76mm
without pickup wheel

BPL-4001946

1 Stk.



RMCD CAN bus

suitable for RMCD-Road-Marking-Control-Device

BPL-4001977

1 Stk.



Y-cable KMM RMCD-Drive to RMCD-KeyPad

suitable for RMCD-Key-Pad - Professional

BPL-4002134

1 Stk.



Housing with board and cable

Incl. assembly of the board and cable set.
Cable for encoder included.

BPL-A1005812

Cable for additional sensors, telematics module and actuators.

1 Stk.

Components



M12 cable socket angled 5m

5 meter 4pin CAN cable with 120 Ohm resistor
for encoder of the RMCD - Road Marking Control Device

BPL-B12090-CPS-002
1 Stk.
5.000 mm



RMCD keypad module 8 buttons - For entering markings

RMCD key pad - For RMCD Professional
For quick and easy selection of marking presets.
2 lines with 4 keys each
Numbered from 1 to 8

BPL-B12500
1 Stk.



Bracket for encoder for RMCD

for RMCD

CMC-AR150-14-145
1 Stk.



Bracket for encoder for RMCD

for RMCD

CMC-AR30P-MAX-A3-007
1 Stk.



Pickup wheel for encoder

For recording the speed of your machine.
Inner diameter of mount: 10 mm

CMC-SU00031
1 Stk.



Humidity temperature probe

Humidity-temperature probe, suitable for DZK & eStat20(D)
probe, pluggable, with flange socket
suitable for RMCD - Road Marking Control Device

GAT-19.001-YS
1 Stk.



Filter: ZE05 PTFE filter ø 12, IP 65

Operating range: -40 ... 125C
mounted

GAT-20.078
1 Stk.



Components



Humidity and temperature meter

DZK
Transmitter for pluggable probes

GAT-DZK300F13700-YY

1 Stk.



CT-SF22-C3 Miniature pyrometer

suitable for RMCD - Advanced

MEP-4800103.003

1 Stk.




Antenna cable

assembled with black strands, 1 mm², L=2m

PRO-136000198

1 Stk.
2 m



Antenna for telematics system

Mobile radio/GNSS combination roof antenna, flat-rectangular, roof mounting for screwing

PRO-157000121

1 Stk.
124 x 80 x 31 mm



CANlink mobile 3657 for telematics module


Wireless CAN interface for data exchange
via 2G/GSM/GPRS/EDGE, 3G/UMTS/HSPA and 4G/LTE Worldwide

PRO-253004097

1 Stk.
123 x 86 x 35 mm



RMCD App



RMCD APP - Single license

Web-based application!
For easy recording of daily reports and post-calculation

STR_RMCD_APP_01



RMCD Accessories



RMCD Airless nozzles



RMCD Airless filter



RMCD Nozzle holder




RMCD High-pressure hoses



RMCD Useful Helpers



RMCD Airless nozzles



RMCD - Airless nozzle for surface markings - 219

2 airless nozzles for surface markings including seals.
Color: black
Size: 219
Made in EUROPE!

RMCD-FM6219
2 Stk.



RMCD - Airless nozzle for surface markings - 421

2 airless nozzles for surface markings including seals.
Color: black
Size: 421
Made in EUROPE!


RMCD-FM6421
2 Stk.



RMCD - Airless nozzle for surface markings - 623

2 airless nozzles for surface markings including seals.
Color: black
Size: 623
Made in EUROPE!


RMCD-FM6623
2 Stk.



RMCD - Paint gun plug-in filter 50 mesh (white)

2 airless nozzles for line markings including seals.
Color: yellow
Size: 419
Made in EUROPE!


RMCD-FMLM419
2 Stk.



RMCD - Paint gun plug-in filter 50 mesh (white)

2 airless nozzles for line markings including seals.
Color: yellow
Size: 421
Made in EUROPE!

RMCD-FMLM421
2 Stk.



RMCD - Airless nozzle for line markings - 423

2 airless nozzles for line markings including seals.
Color: yellow
Size: 423
Made in EUROPE!

RMCD-FMLM423
2 Stk.



RMCD Airless filter



RMCD - Intake filter 28 x 1.5 mm - 60 mesh

Suction filter 28 x 1.5 IG 60 mesh.
Suction filter short. Reinforced version.

RMCD-22906

1 Stk.



RMCD - Paint gun plug-in filter 50 mesh (white)

10 pieces gun filter 50 mesh for marking PU paints or other low-viscosity marking paints.

RMCD-FM2002

10 Stk.



RMCD - Paint gun plug-in filter 100 mesh (yellow)

10 pieces gun filter 100 mesh for marking PU paints or other low-viscosity marking paints.

RMCD-FM2004

10 Stk.



RMCD Nozzle holder



RMCD - Nozzle holder 11/16 inch

Nozzle holder for 11/16 inch thread.
Compatible with nozzles: FM6, FMC6, TITAN SC6, Wagner Trade Tip3, and Graco RAC V

RMCD-201203

1 Stk.



RMCD - Nozzle holder 7/8 inch

Nozzle holder for 7/8 inch thread.
Suitable for GRACO paint guns for road marking.
Compatible with nozzles: FM6, FMC6, TITAN SC6, Wagner Trade Tip3, and Graco RAC V

RMCD-201203G

1 Stk.



RMCD High-pressure hoses



High pressure paint hose 1/4" 10 meter

High-pressure paint hose

Length: 10 meters

Connection: 1/4 inch

CMC-TVAPR1/410MT

1 Stk.



RMCD Useful Helpers



Metal stencils for metal letters 20 cm height

Floor marking template made of galvanized sheet metal for letters.
Bent up on the long side for easy application.
The exact weight of each template depends on the size.

CMC-DL20
0.38 kg
200 mm



Metal stencils SET for metal letters 20 cm high - A to Z

Floor marking template made of galvanized sheet metal for letters.
Bent up on the long side for easy application.
The exact weight of each template depends on the size.

CMC-DL20-SET
3.8 kg
200 mm



Metal stencils for metal letters 40 cm high

Floor marking template made of galvanized sheet metal for letters.
Bent up on the long side for easy application.
The exact weight of each template depends on the size.

CMC-DL40
0.38 kg
400 mm



Metal stencils SET for metal letters 40 cm high - A to Z

Floor marking template made of galvanized sheet metal for letters.
Bent up on the long side for easy application.
The exact weight of each template depends on the size.

CMC-DL40-SET
3.8 kg
400 mm



Pedestrian - metal 80 cm height

Marking template - pedestrian
Width: 450 mm
Height: 800 mm

CMC-DMPSP
450 x 800 mm



Metal stencils for numbers metal 20 cm height

Floor marking template made of galvanized sheet metal for numbers.
Bent up on the long side for easy application.
The exact weight of each template depends on the size.

CMC-DN20
0.32 kg
200 mm



Metal stencils SET for metal numbers 20 cm high - 0 to 9

SET floor marking templates made of galvanized sheet metal for numbers 0 to 9.
Bent up on the long side for easy application.
The exact weight of each template depends on the size.

CMC-DN20-SET
3.2 kg
300 mm



RMCD Useful Helpers



Metal stencils for numbers metal 30 cm height

Floor marking template made of galvanized sheet metal for numbers.
Bent up on the long side for easy application.
The exact weight of each template depends on the size.

CMC-DN30
0.54 kg
300 mm



Metal stencils SET for metal numbers 30 cm high - 0 to 9

SET floor marking templates made of galvanized sheet metal for numbers 0 to 9.
Bent up on the long side for easy application.
The exact weight of each template depends on the size.

CMC-DN30-SET
5.4 kg
300 mm



Glass beads dispenser - Handhold

Very sturdy but still lightweight reflex glass bead spreader made of stainless steel. For easy and quick spreading of lines or areas in the field of road marking.

CMC-SPRGPRLM
2.5 kg
1 Stk.
12 x 18 x 47 cm

