

RMCD - LIGHT - Components



Item number:

STR-RMCD-Light_Adv

Created on 01.08.2025

Description

- RMCD - Display (without bracket)
- RMCD - Light cable set
- RMCD - Pressure sensor
- RMCD - INI for recording when marking is also carried out
- RMCD - Incremental encoder
- RMCD - Software (pre-installed)

We recommend the BANNER - Traction Bull AGM 12-25 battery.
If required, this can also be obtained from us. Without holder!



Metal buzzer 19 mm with LED

Item number: BPL-400_Buzz

For visual and audible indication of gun triggering.



Inductive sensor INI marking IFM204

Item number: BPL-4000440

Contactless detection of whether your paint gun is open or closed. High shock and vibration resistance for use in mobile machinery



Display RMCD-Light - M835-01

Item number: BPL-4001905

The RMCD-Light - M835-01 display is a 3.5-inch programmable display designed for use in vehicles and off-highway machinery. The DSEM835 offers the user excellent flexibility. The DSEM835 is configured with CODESYS 3.5. suitable for RMCD-Light



RMCD pressure sensor HP - Airless

Item number: BPL-4001945

Electronic pressure sensor; 0...250 bar; 0...3625 psi;
1/4" external thread
rAnalog signal; 4...20 mA

RMCD encoder



Item number: BPL-4001946

Dimension:

Diameter 36,5mm / L = 76mm
without pickup wheel

Wiring harness for RMCD Light

Item number: BPL-4002189

- Connection to display M835-01
- Connection to INI marker
- Connection to pressure sensor
- Connection to rotary encoder
- Connection to power supply

RMCD pressure sensor LP - Airspray

Item number: BPL-4002205

Electronic pressure sensor; 0...10 bar
1/4" external thread





Conversion KIT RMCD Light to marking machine

Item number: CMC-KIT00087

Suitable for RMCD Light
